

MATERIAL SAFETY DATA SHEET

DRICON(R*) FIRE RETARDANT TREATED WOOD AND LUMBER

SEPTEMBER 1, 2005

-----1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION -----

PRODUCT IDENTIFIER: DRICON(R*) FIRE RETARDANT TREATED WOOD AND LUMBER

GENERAL USE: TREATED WOOD PRODUCTS

MANUFACTURER:

EXTERIOR WOOD, INC.
2685 INDEX ST./PO BOX 206
WASHOUGAL, WA 98671
360 835-8561 MANUFACTURING
404 362-3970 TECHNICAL ASSISTANCE

TELEPHONE NUMBERS:

MEDICAL EMERGENCY: 1800 222-1222

POISON CONTROL: 1800 837-0496

-----2. COMPOSITION/INFORMATION ON INGREDIENTS -----

HAZARDOUS INGREDIENTS	PERCENT	CAS #	EXPOSURE LIMITS (MG/M3)		
			OSHA-PEL	ACGIH-TLV	ACGIH-STEL
BORIC ACID	<5	10043-35-3	NA	NA	NA
GUANYLUREA PHOSPHATE	<10	17675-60-4	NA	NA	NA
WOOD DUST*			15.0 (SOFTWOOD)	5.0 (SOFTWOOD)	
FORMALDEHYDE**		50-00-0	1 PPM		2 PPM STEL

*A STATE-RUN OSHA PROGRAM MAY HAVE MORE STRINGENT LIMITS FOR WOOD DUST AND/OR PNOR. PLEASE CONTACT YOUR STATE FOR FURTHER DETAILS.

**ONLY APPLIES TO PLYWOOD PRODUCTS

-----3. HAZARDS IDENTIFICATION -----

INHALATION:

AIRBORNE TREATED OR UNTREATED WOOD DUST MAY CAUSE NOSE, THROAT OR LUNG IRRITATION. VARIOUS SPECIES OF UNTREATED WOOD DUST CAN ELICIT ALLERGIC RESPIRATORY RESPONSE IN SENSITIZED PERSONS.

EYE CONTACT: TREATED OR UNTREATED WOOD DUST MAY CAUSE MECHANICAL IRRITATION.

SKIN CONTACT:

HANDLING WOOD MAY RESULT IN SKIN EXPOSURE TO SPLINTERS. PROLONGED AND/OR REPEATED CONTACT WITH TREATED OR UNTREATED WOOD DUST MAY RESULT IN MILD IRRITATION. VARIOUS SPECIES OF UNTREATED WOOD DUST CAN ELICIT ALLERGIC TYPE SKIN IRRITATION IN SENSITIZED PERSONS.

INGESTION: NOT ANTICIPATED TO OCCUR.

CHRONIC WOOD DUST (TREATED OR UNTREATED) EFFECTS:

WOOD DUST, DEPENDING ON SPECIES, MAY CAUSE DERMATITIS ON PROLONGED,

REPETITIVE CONTACT; MAY CAUSE RESPIRATORY SENSITIZATION AND/OR IRRITATION.

-----4. FIRST AID MEASURES -----

INHALATION:

REMOVE FROM WOOD DUST EXPOSURE. IF BREATHING HAS STOPPED ADMINISTER ARTIFICIAL RESPIRATION. SEEK MEDICAL AID IF SYMPTOMS PERSIST.

EYE CONTACT:

GENTLY FLUSH ANY PARTICLES FROM THE EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. DO NOT RUB THE EYES. SEEK MEDICAL AID IF IRRITATION PERSISTS.

SKIN CONTACT:

RINSE WOOD DUST OFF WITH WATER. DO NOT RUB. ONCE THE SKIN IS FREE OF THE WOOD DUST, WASH THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL AID IF SEVERE IRRITATION DEVELOPS.

INGESTION:

RINSE THE VICTIM'S MOUTH OUT WITH WATER. DO NOT INDUCE VOMITING. IF SYMPTOMS DEVELOP, CALL A PHYSICIAN OR POISON CENTER AT (800) 837-0496 (OUTSIDE THE US CALL 1-404-616-9000).

-----5. FIRE FIGHTING MEASURES -----

FLASH POINT: NA

LOWER EXPLOSIVE LIMIT: NA

UPPER EXPLOSIVE LIMIT: NA

AUTO-IGNITION: NA

EXTINGUISHING AGENTS: NOT APPLICABLE

FIRE-FIGHTING PROCEDURES:

FIRE FROM A SEPARATE FUEL SOURCE MAY BE INTENSE ENOUGH TO CAUSE THERMAL DECOMPOSITION RELEASING TOXIC FUMES AND/OR GASES. WEAR COMPLETE FIRE SERVICE PROTECTIVE EQUIPMENT, INCLUDING FULL-FACE NIOSH AND NFPA - APPROVED SELF-CONTAINING BREATHING APPARATUS.

FIRE AND EXPLOSION HAZARD:

HIGH AIRBORNE LEVELS OF WOOD DUST MAY BURN RAPIDLY IN THE AIR WHEN EXPOSED TO AN IGNITION SOURCE.

-----6. ACCIDENTAL RELEASE MEASURES -----

SPILL OR LEAK PROCEDURES: NOT APPLICABLE.

WASTE DISPOSAL: SEE SECTION 13.

-----7. HANDLING AND STORAGE -----

STORAGE CONDITIONS: PROTECT FROM PHYSICAL DAMAGE. MAINTAIN GOOD HOUSEKEEPING.

CAUTION:

DO NOT BURN TREATED WOOD. DO NOT USE PRESSURE TREATED CHIPS OR SAWDUST AS MULCH. WHENEVER POSSIBLE, SAWING OR MACHINING TREATED OR UNTREATED WOOD. SHOULD BE PERFORMED OUTDOORS TO AVOID ACCUMULATIONS OF AIRBORNE WOOD DUST. WASH HANDS THOROUGHLY BEFORE EATING, DRINKING, USING TOBACCO PRODUCTS, AND/OR

USING RESTROOMS.

NOTE:

FOR PLYWOOD PRODUCTS ONLY, PROVIDE ADEQUATE VENTILATION TO REDUCE THE POSSIBLE BUILDUP OF FORMALDEHYDE VAPORS.

-----8. EXPOSURE CONTROLS/PERSONAL PROTECTION -----

RESPIRATORY PROTECTION:

NONE NORMALLY REQUIRED. WHEN SAWING OR CUTTING TREATED OR UNTREATED WOOD, WEAR A NIOSH APPROVED N95 OR BETTER DUST MASK.

EYE PROTECTION:

WEAR SAFETY GLASSES WITH SIDE SHIELDS OR SAFETY GOGGLES WHEN SAWING OR CUTTING.

SKIN/FOOT PROTECTION:

LEATHER OR COMPARABLE GLOVES TO PREVENT SPLINTERS. LONG SLEEVE SHIRT, PANTS AND STEEL TOED SHOES WHEN HANDLING TREATED OR UNTREATED WOOD.

VENTILATION:

SAW, CUT OR MACHINE WOOD OUTDOORS OR IN WELL VENTILATED AREAS. VENTILATION SHOULD BE SUFFICIENT TO MAINTAIN INHALATION EXPOSURES BELOW OSHA PEL FOR PARTICULATES.

OTHER PROTECTIVE EQUIPMENT: WEAR EAR PLUGS OR MUFFS WHEN USING POWER TOOLS.

NOTE:

FOR PLYWOOD PRODUCTS ONLY, IF FORMALDEHYDE VAPOR LEVEL EXCEEDS OSHA PEL OR STEL, THEN A NIOSH APPROVED RESPIRATOR IS REQUIRED.

-----9. PHYSICAL AND CHEMICAL PROPERTIES -----

APPEARANCE: NATURAL

SPECIFIC GRAVITY (WATER=1): NA

ODOR: NONE

BOILING POINT: NA

SOLUBILITY IN WATER: NA

VAPOR DENSITY (AIR=1): NA

PHYSICAL STATE: SOLID

VAPOR PRESSURE: NA

pH: NA

FREEZING POINT: NA

-----10. STABILITY AND REACTIVITY -----

CONDITIONS CONTRIBUTING TO INSTABILITY: NONE KNOWN.

INCOMPATIBILITIES: STRONG ACIDS, OPEN FLAME AND OXIDIZERS.

HAZARDOUS REACTIONS/DECOMPOSITION/COMBUSTION PRODUCTS:

COMBUSTION PRODUCTS MAY INCLUDE SMOKE, TOXIC FUMES OR GASES.

HAZARDOUS POLYMERIZATION: DOES NOT OCCUR.

-----11. TOXICOLOGICAL INFORMATION -----

CARCINOGENICITY DATA:

IARC HAS CLASSIFIED UNTREATED HARDWOOD AND HARDWOOD/SOFTWOOD MIX WOOD DUST AS A GROUP I HUMAN CARCINOGEN. THE WOOD DUST CLASSIFICATION IS BASED PRIMARILY ON IARC'S EVALUATION OF INCREASED RISK IN THE OCCURRENCE OF ADENOCARCINOMAS OF THE NASAL CAVITIES AND PARANASAL SINUSES ASSOCIATED WITH OCCUPATIONAL EXPOSURES TO UNTREATED WOOD DUST. NTP HAS CLASSIFIED ALL UNTREATED WOOD DUST AS A CARCINOGEN.

-----12. ECOLOGICAL INFORMATION -----

NO DATA AVAILABLE.

-----13. DISPOSAL CONSIDERATIONS -----

DISPOSAL GUIDANCE:

DO NOT BURN TREATED WOOD. DO NOT USE PRESSURE TREATED CHIPS OR SAWDUST AS MULCH. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. UNDER RCRA, IT IS THE RESPONSIBILITY OF THE USER OF THE PRODUCT TO DETERMINE AT THE TIME OF DISPOSAL, WHETHER THE PRODUCT MEETS RCRA CRITERIA FOR HAZARDOUS WASTE. THIS PRODUCT IS TYPICALLY NOT CONSIDERED A HAZARDOUS WASTE BUT STATE RUN WASTE PROGRAMS MAY BE MORE STRINGENT. CHECK WITH YOUR LOCAL OR STATE REGULATORS PRIOR TO DISPOSAL.

-----14. TRANSPORT INFORMATION -----

DOT HAZARDOUS MATERIAL CLASSIFICATION:

THIS MATERIAL IS NOT REGULATED AS A HAZARDOUS MATERIAL BY THE DOT.

-----15. REGULATORY INFORMATION -----

OSHA (29 CFR 1910.1200):

THIS PRODUCT IS REGULATED UNDER THE HAZARD COMMUNICATION STANDARD.

RCRA (40 CFR 261):

DO NOT BURN TREATED WOOD. DO NOT USE PRESSURE TREATED CHIPS OR SAWDUST AS MULCH. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. UNDER RCRA, IT IS THE RESPONSIBILITY OF THE USER OF THE PRODUCT TO DETERMINE AT THE TIME OF DISPOSAL, WHETHER THE PRODUCT MEETS RCRA CRITERIA FOR HAZARDOUS WASTE. THIS PRODUCT IS TYPICALLY NOT CONSIDERED A HAZARDOUS WASTE BUT STATE RUN WASTE PROGRAMS MAY BE MORE STRINGENT. CHECK WITH YOUR LOCAL OR STATE REGULATORS PRIOR TO DISPOSAL.

CALIFORNIA PROPOSITION 65: NO

ABBREVIATIONS:

OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

NFPA: NATIONAL FIRE PROTECTION ASSOCIATION

FIFRA: FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT

CERCLA: COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT

SARA: SUPERFUND AUTHORIZATION AND REAUTHORIZATION ACT

PEL: PERMISSIBLE EXPOSURE LIMIT

DOT: DEPARTMENT OF TRANSPORTATION

NTP: NATIONAL TOXICOLOGY PROGRAM
CFR: CODE OF FEDERAL REGULATIONS
CWA: CLEAN WATER ACT
CAS: CHEMICAL ABSTRACTS SERVICE
TLV: THRESHOLD LIMIT VALUE
STEL: SHORT-TERM EXPOSURE LIMIT
RCRA: RESOURCE CONSERVATION AND RECOVERY ACT
ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS
NIOSH: NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH
TSCA: TOXIC SUBSTANCES CONTROL ACT
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IBC: INTERNATIONAL BUILDING CODE
MG/M3: MILLIGRAMS PER CUBIC METER
CAA: CLEAN AIR ACT

NOTICE:

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF THIS COMPANY MAKES NO GUARANTEE OR WARRANTY, EXPRESSED OR IMPLIED, AS TO THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION.