

Lyptus Unfinished Flooring

1. Identification of the Company

ARACRUZ PRODUTOS DE MADEIRA SA
Rodovia BR 418, km 37
Posto da Mata - Bahia - Brazil
Telephone: + 55 73 209 8313
Fax: + 55 73 209 1020

2. Product Identification

Chemical Name Lyptus unfinished flooring.
Synonymous ND
Chemical Family NA
Molecular Weight NA
Formula NA
CAS ND

3. Hazard Ingredients

Chemical Name	CAS	% concentration	Exposure Limits	Comments
Lyptus unfinished flooring (hybrid of the Eucalyptus grandis)	ND	NA	NA	NA

4. Physical / Chemical Properties

Appearance and Odor Rose shade.
Vapor Density NA
Volatile (%) NA
Solidification Point NA
Vapor Pressure 0 mmHg (approx.)
Water Solubility Insoluble.
Relative Density 0.45 – 0.90
pH NA
Boiling Point NA
Melting Point NA
Evaporation Rate NA
Comments NA

5. Hazard Identification

Ingestion NA

Inhalation NA

Skin Contact NA

Eyes Contact NA

Acute Health Effects NA

Chronic Health Effects NA

Medical Conditions Which
May Be Aggravated
by Exposure NA

6. First Aid Measures

Ingestion NA

Inhalation NA

Skin Contact NA

Eyes Contact NA

7. Toxicological Data

Notes to physician Treatment should be symptomatic as necessary.

LD50 (oral) NA

LD50 (dermal) NA

LC50 (inhalation) NA

Other Studies NA

8. Exposure Control Measures

Personal Protective Equipment:

Respiratory Not required.
Protection

Protective Gloves Not required.

Eye Protection Not required.

Other Protective
Clothing or
Equipment Not required.

Work/Hygiene
Practices Follow good hygienic and housekeeping practices.

Ventilation:

Local Exhaust Not required.

Mechanical
(General) Not required.

9. Fire and Explosion Data

Flash Point NA

Autoignition temperature NA

Flammable Limits NA

Extinguishing Media Water, carbon dioxide, sand foam. Fireman should wear self-contained breathing apparatus and protective clothing.

Hazardous Products in a
Fire Combustion generates toxic fumes (carbon oxides).

10. Stability and Reactivity

Stability Stable.

Conditions to Avoid Avoid high temperatures.

Incompatibility
(Materials to Avoid) Avoid contact with strong oxidizing agents.

Hazardous
Decomposition or By-
Products Thermal decomposition products include carbon monoxide, carbon dioxide, aliphatic aldehydes, rosin acids, terpenes and polycyclic aromatic hydrocarbons.

Hazardous
Polymerization Will not occur.

Sensitivity to Mechanical
Impact NA

Sensitivity to Static Discharge NA

11. Handling and Storage

Storage Material should be kept cool and dry. Avoid high temperatures and sources of ignitions.

Material of Packing NA

Personal Protection NA

Labels NA

Processes NA

12. Accidental Release Measures

Procedures NA

13. Contaminated Wastes Disposal

Methods NA

14. Ecological Information

Ecotoxicity NA

15. Transport Information

Road Transport Not classified a hazardous material.

Aerial Transport Not classified a hazardous material.

Marine Transport Not classified a hazardous material.

Railroad Transport Not classified a hazardous material.

16. Additional Information

Date Prepared 25/July/2002.

Date Revised 31/July/2002.

Prepared by PLANITOX – Planejamento, Assessoria e Informação em Toxicologia.

17. Limitations and Guarantees

The information contained in this Material Safety data Sheet is based on the experience of occupational and safety professionals and comes from sources believed to be accurate or otherwise technically correct. It is the user's responsibility to determine if this information is suitable for their applications to follow safety precautions as may be necessary. The user has the responsibility to make sure that this sheet is the most up-to-date issue.

18. Definition of Common Terms

CAS	Chemical Abstracts System Number
LC50	Concentration in air resulting in death to 50% of experimental Animals
LD50	Administered dose resulting in death to 50% of experimental Animals
NA	Not applicable
ND	Not determined